


Claim Tree





a. Gopiknath

b. Shoaib

c. Matta

d. Gurpari

e. Gurkha



Communication Claims Diagram

class of service

traffic class

- 1 In a mobile Device, a method to select channel (network) from tables which contain "QoS" & system Identification due to app being executed on mobile device.
- Scanning for communications networks in the coverage area.
- 2 Create multiple network selection tables for different traffic classes based on past network service history
- 3 multiple network selection tables include a preferred roaming list associated with a voice APP. and an additional network selection table associated with a web browser APP.
- 4 Software applications comprise of at least two of:
- Video player APP.
 - Audio "
 - Video game "
 - Voice over IP "
 - Email "
 - Internet data "
- 5 "QoS" criteria comprises one of:
- delay criterion
 - delay variation criterion
 - data loss criterion
- 6 Network Selection tables are Pre programmed

⑦ "QOS" criteria comprises of at least two of:

- a. bandwidth criterion
- b. delay criterion
- c. delay variation criterion
- d. data loss criterion

⑧ Traffic classes include at least two of:

- a. background traffic class
- b. interactive traffic class
- c. streaming traffic class

⑨ Preference is based on Previous access attempts.
for each system I.D.

⑩ Priority is based on Previous access attempts
for each system I.D.

⑪ Mobile Communication Device: Comprising

- a. memory
- b. multiple software APPS.
- c. n network Selection tables
- d. each network selection table corresponds to a traffic class which is based on "QOS" plus system ID's.
- e. one or more PROCESSORS
- f. PROCESSORS ^{can} execute APPS.
- g. Select one of network selection tables based on

h. scan to find wireless networks in the coverage area

&

Select one of networks found based on the table of Traffic class of executed APP.

- (12) Processor or Processors construct the tables of traffic classes based on past network service history
- (13) tables include Preferred roaming list associated with a voice app, and an additional table associated with a web browser app.
- (14) Software APPS Comprise of at least two of:
- Video player app
 - audio player app
 - video game "
 - Voice over IP "
 - Email app
 - internet data app,
- (15) network selection tables are pre programmed
- (15) "QoS" Criteria Comprises one of:
- delay criterion
 - delay variation criterion
 - data loss "

- (17) "QOS" criterion comprises at least two of:
- a. bandwidth criterion
 - b. delay " "
 - c. delay variation " "
 - d. data loss " "

- (18) Traffic classes include at least two of:
- a. background traffic class
 - b. interactive " "
 - c. streaming " "

- (19) Preference is determined for each one of the system ID's in each network table

- (20) Priority is determined for each one of the system IO's in each network table

- 21 Computer program for

- (22) Construct network selection tables of traffic classes based on past network service history.

- (23) Tables include Preferred roaming list associated with a voice app, and an additional table associated with a web browser app.

(24) Program of 14

(25) " 15

(26) " 16

(27) " 17

(28) " 18

(29) " 19

(30) " 20